



## SANDY Series

Polished | Matt  
600x1200mm | 600x600mm





## SANDY Series

Let your spaces echo the calm of sands with our Sandy Series, where design comes alive, enhancing your interiors with natural, earthy elegance and enduring charm.

WALK ONTO  
FULLBODY  
DURABILITY

IN THE POLISHED &  
THE MATT SURFACE



# FROM DELICATE TO DARK - CHOOSE YOUR PALETTE

The collection showcases exceptional color richness through a diverse palette, thoughtfully divided into four categories: Light, Dark, Special, and Super Special.

Each category features a curated range of tones, crafted to meet every design preference and application. Whether you're seeking something soft, serene, bold, dramatic, or subtle with a touch of flair, you'll find the perfect shade in our palette.

Choose from this broad spectrum and let your emotions, character, and atmosphere empower you to design confidently and creatively.

9mm  
Thickness

4  
Premium  
Categories

Light

Dark

Special

Super Special






# EVERYTHING TECHNICAL

The Sandy Series is available in two classic sizes, 600x1200mm and 600x600mm, which are convenient, easy to install, and require minimal maintenance. The two surfaces, Polished and Matt, reflect class and sophistication, suiting every aesthetic from minimalist to luxurious.

Thickness:  
**9mm**

Surfaces:  
**Polished | Matt**



CRAFTED IN  
TWO SIZES

**600x1200mm  
&  
600x600mm**

A sandy  
breeze  
of

**MODERN  
CALMNESS**





# SANDY Series

## Performance Details

Engineered for excellence, the series offers low water absorption and superior surface stability. The natural sand-inspired pattern provides shiny reflection (in case of a polished surface) and slip resistance (in case of a matt surface). Enjoy the unmatched durability and design continuity of these precisely crafted tiles.

- |   |                              |   |                       |
|---|------------------------------|---|-----------------------|
|  | Low Water Absorption         |  | Dimensional Stability |
|  | Stain Resistant              |  | Abrasion Resistant    |
|  | Scratch Resistant            |  | Colour Durability     |
|  | Highly Resistant to UV Light |  | Frost Resistant       |





SANDY CREMA



**SANDY CREMA**  
Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles




Should  
i kill  
myself,  
or have  
a cup of  
coffee.

Albert Camus





# SANDY BIANCO



**SANDY BIANCO**


Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY BEIGE



## SANDY BEIGE


Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY BUTTER



## SANDY BUTTER

Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY DOVE

600x  
1200mm

Polished  
Matt

600x  
600mm

Polished  
Matt



## SANDY DOVE


Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY MOCHA



## SANDY MOCHA


Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY MIST



## SANDY MIST

Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY COOKIE

600x  
600mm

Matt



## SANDY COOKIE


Category: Light  
Size: 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY SAHARA



## SANDY SAHARA

Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY PEARL

600x  
600mm

Matt



## SANDY PEARL



Category: Light  
Size: 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY ELENA



## SANDY ELENA

Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY SILVER

600x  
600mm

Matt



## SANDY SILVER

Category: Light  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY CARAMEL

600x  
600mm


Matt



## SANDY CARAMEL

Category: Light  
Size: 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles








# SANDY MINT

600x  
600mm

Matt



## SANDY MINT

Category: Light  
Size: 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY CHOCO

600x  
1200mm

Matt

600x  
600mm

Matt



## SANDY CHOCO


Category: Dark  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY COPPER



## SANDY COPPER


Category: Dark  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY VERDE



## SANDY VERDE


Category: Dark  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY KOTA



**SANDY KOTA**  
Category: Dark  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY NERO

600x  
1200mm

Polished  
Matt

600x  
600mm

Polished  
Matt



## SANDY NERO


Category: Dark  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







SANDY WHITE



**SANDY WHITE**  
Category: Special  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







# SANDY BLACK

600x  
1200mm

Polished  
Matt

600x  
600mm

Polished  
Matt



## SANDY BLACK

Category: Super Special  
Sizes: 600x1200mm | 600x600mm  
Thickness: 9mm  
Type: Fullbody Vitrified Tiles







Technical Specifications

TECHNICAL DETAILS	STANDARD AS PER ISO-13006 / EN176 GROUP BLA	MEAN VALUE OF OUR FULLBODY VITRIFIED TILES	METHOD OF TEST
Deviation In Length & Width	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 2.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.10%	ISO-10545-2
Water Absorption	= 0.50%	≤ 0.05%	ISO-10545-3
Breaking Strength	1300 N	2000 N	ISO-10545-4
Abrasion Resistance	Max. 175mm	Max. 145mm <sup>3</sup>	ISO-10545-6
Mohs Hardness	Min. 6	= 6*	EN101
Frost Resistance	Frost Proof	Frost Proof	ISO-10545-12
Thermal Shock	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion	< 9 x 10 <sup>-6</sup>	< 6 x 10 <sup>-6</sup>	ISO-10545-8
Household Chemical Resistance	No Damage	No Damage	ISO-10545-13
Stain Resistance	Resistance	Resistance	ISO-10545-14
Slip Resistance (Friction Co-Efficient)	> 0.40	> 0.40	ISO-10545-17

**Disclaimer:**  
We reserves the right to delete & amend either totally or par ally, any of the colors, shapes, sizes, references and other technical specifica ons contained in this catalogue at any me. The colors of les shown in this catalogue are purely illustra ve to prin ng process. Please refer actual sample before final selec on. The details of sizes, colors and references should be verified for typographical errors.

Packing Details

SIZES	PCS. / BOX	WEIGHT / BOX (Approx.)	COVERAGE AREA / BOX
600x1200mm	2 pcs.	28.5 kg - Matt   27 kg - Polished	15.50 ft² or 1.44 mtr²
600x600mm	4 pcs.	27.5 kg - Matt   26.5 kg - Polished	15.50 ft² or 1.44 mtr²



